各学院:

一、安全卫生检查情况统计

1	92.26	99.30	92.42
2	91.47	98.99	86.04
3	90.99	95.79	81.17
4	91.84	98.87	90.85
5	92.09	95.21	91.85
6	91.82	97.96	90.84
7	90.78	93.72	80.90
8	91.48	97.05	85.01
9	92.53	97.92	90.59
10	92.78	97.33	92.55
11	91.27	92.63	84.09
12	89.02	88.81	80.42
13	92.85	98.57	94.86
14	93.48	99.75	94.95
15	91.87	98.65	90.87
16	91.24	99.01	86.44
17	91.47	96.87	84.49
18	90.92	94.52	83.96
19	91	94.48	81.86
20	91.65	100.00	92.54
21	87.18	87.46	80.88

二、学生宿舍违纪统计

2023-12-10	Y1H420		
2023-12-10	Y1H604		
2023-12-10	13NH601		

三、第十五周宿舍不合格通报

15	Y1H135	87	, , ,
15	Y1H137	85	, , ,
15	Y1H229	89	, ,
15	Y1H232	81	, , ,
15	Y1H320	89	, , ,
15	Y1H324	83	, , ,
15	Y1H328	87	, , ,
15	Y1H329	88	, , ,
15	Y1H330	85	, , ,
15	Y1H331	88	, , ,
15	Y1H332	89	, ,
15	Y1H333	55	, ,
15	Y1H334	60	, ,
15	Y1H335	55	, ,
15	Y1H337	88	, ,
15	Y1H339	80	, ,
15	Y1H340	86	, , ,
15	Y1H419	80	, ,
15	Y1H420	58	, , ,
15	Y1H426	88	, ,
15	Y1H604	67	,
15	6H101	75	, , , ,
15	6H102	77	, , , ,
15	6H104	85	, , ,
15	6H122	84	, , , ,
15	6H124	65	, , ,
15	6H137	80	, , , ,
15	6H208	82	, , , ,
15	6H209	89	, , , ,
15	6H212	87	, , , ,
15	6H213	89	, , , ,
15	6H218	66	, , , ,
15	6H222	81	, , , ,
15	6H232	88	1 1 1 1

15	6H239	83	,	,	,	,	,
15	6H243	50	,	,	,	, ,	
15	6H245	83	,	,	,	,	,
15	6H410	63	,	,	,	,	,
15	6H412	63	,	,	,	,	

15	24H618	88	, ,	
15	24H621	76	, , ,	

shenghuofuwuducha@ 163.com

93 0.2 /