

各学院：

一、安全卫生检查情况统计

1		92.26	99.30	92.42
2		91.47	98.99	86.04
3		90.99	95.79	81.17
4		91.84	98.87	90.85
5		92.09	95.21	91.85
6		91.82	97.96	90.84
7		90.78	93.72	80.90
8		91.48	97.05	85.01
9		92.53	97.92	90.59
10		92.78	97.33	92.55
11		91.27	92.63	84.09
12		89.02	88.81	80.42
13		92.85	98.57	94.86
14		93.48	99.75	94.95
15		91.87	98.65	90.87
16		91.24	99.01	86.44
17		91.47	96.87	84.49
18		90.92	94.52	83.96
19		91	94.48	81.86
20		91.65	100.00	92.54
21		87.18	87.46	80.88

二、学生宿舍违纪统计

2023-12-10	Y1H420			
2023-12-10	Y1H604			
2023-12-10	13NH601			

三、第十五周宿舍不合格通报

15	Y1H135	87	,	,	,	
15	Y1H137	85	,	,	,	
15	Y1H229	89	,	,	,	
15	Y1H232	81	,	,	,	
15	Y1H320	89	,	,	,	
15	Y1H324	83	,	,	,	
15	Y1H328	87	,	,	,	
15	Y1H329	88	,	,	,	
15	Y1H330	85	,	,	,	
15	Y1H331	88	,	,	,	
15	Y1H332	89	,	,	,	
15	Y1H333	55	,	,	,	
15	Y1H334	60	,	,	,	
15	Y1H335	55	,	,	,	
15	Y1H337	88	,	,	,	
15	Y1H339	80	,	,		
15	Y1H340	86	,	,	,	
15	Y1H419	80	,	,		
15	Y1H420	58	,	,	,	
15	Y1H426	88	,	,	,	
15	Y1H604	67	,			
15	6H101	75	,	,	,	,
15	6H102	77	,	,	,	,
15	6H104	85	,	,	,	,
15	6H122	84	,	,	,	,
15	6H124	65	,	,	,	,
15	6H137	80	,	,	,	,
15	6H208	82	,	,	,	,
15	6H209	89	,	,	,	,
15	6H212	87	,	,	,	,
15	6H213	89	,	,	,	,
15	6H218	66	,	,	,	,
15	6H222	81	,	,	,	,
15	6H232	88	,	,	,	,

15	6H239	83	,	,	,	,	,	,
15	6H243	50	,	,	,	,	,	,
15	6H245	83	,	,	,	,	,	,
15	6H410	63	,	,	,	,	,	,
15	6H412	63	,	,	,	,	,	,

15	24H618	88	, , ,	
15	24H621	76	, , ,	

shenghuofuwuducha@163.com